


2014



8

2014 1 1 2014 12 31

8

	4
	4
	6
	6
	7
2014	8
	8
	8
	9
	12
	13

600894

2012 8

56.06% A

859,946,895

1993 12 6

1994 1 1

1996 2 28

2014 12 31

12.85

110

2012

120%


500

A 500

2014

2014

LED



1

2

13

2

1

2014

10

6

4

34

2

2014

2013

1 ,

2014

3

[2013]43

(2014 1

)

2

9 2013

2013

9 2014 3

3

2013 2014

5 2013-2014

4

2014

2014

1

2014

8

300

3

,

2014 6 19

1

2



1


2014

3

4

2014


12997




2



3




5






9



10



11

AAA

AA

,

1



12

2014

21

2

2014

G+

1

2014

500

3

7 24

2014
6
8
2

4

2012

12

2014

20



16

”

”

LED

5

2014

2014

96.9%

91.45

100

2014
88.61 100%
2014
2013 7%
6
IS090001 IS014001 OHSAS18001 ISO 10012 TSG Z0004-2007
2014
BIT Business
Initiative Directions, BID

2014

		2014
	96%	97%
	96%	99%
	96%	98%
	99.99%	99.99%

2014

0.06%

2013

0.01%

2014

1

8

0

2014

2

6

16

17

10

1

FMS

50%

LES

GPS

LED

LED

2

50%

99%

96%

99%

70%

2014

2013

2014



21

PPT

6 10

10 25


30

12 28



22

12 30



21

96333

	2014	4		
860,000		8		
	200,000	9	SEE	100,000
	11			290,000
		11	12	
	23,636.1			20,000
2014				198
		10	26	
		91		
2014				
				9188.2
			3.8	
				1
			17	
				6

